

The optical port speed of the H3C switch cannot be changed



Overview

The speed command cannot modify the speed to any value other than the default for the copper port or fiber port. (up and down) Cancel: undo undo speed undo qos apply policy 200M outbound If Speed, Inbound. The following uses the Moduletek QSFP-40G-LR4 module connected to an H3C S6820 switch as an example to introduce how to read information of the connected optical module on an H3C switch. Figure 1 Schematic Diagram of Optical Module Connected to Switch 1. Check Optical Module Status Run the. Port numbering in examples The port numbers in this document are for illustration only and might be unavailable on your switch. About the H3C S12500 documentation set The H3C S12500 documentation set includes: Category. To display the current speed setting of a port: For example: To change the speed, use: For instance, to set the speed of GigabitEthernet 0/0/1 to 100Mbps: Save the settings with the “save” command. To display the current configuration of the HTTP. The command is as follows: am user-bind mac-address 00e0-fc22-f8d3 interface Ethernet 0/1 H3C switch configuration description: Due to the use of port parameters, the port will be taken as a reference, that is, at this time, port E0 / 1 only allows PC1 to access the Internet, while PCs.

Article Content

H3C S12500 Series Interface Configuration Manual

After you forcibly bring up a fiber Ethernet port, the fiber port stays physically up regardless of • whether or not an optical module or a fiber connection is present for the port.

H3C S5560-EI SERIES TROUBLESHOOTING

View and Download H3C S5560-EI Series troubleshooting manual online. S5560-EI Series network router pdf manual download.

download.h3c

Hier sollte eine Beschreibung angezeigt werden, diese Seite lässt dies jedoch nicht zu.

H3C Switch Command Mastery: Streamlined

Our expert-led walkthrough includes live command examples, common error resolution, and performance optimization techniques verified by H3C's official

How To Read Optical Module Information On H3C Switches

The following uses the Moduletek QSFP-40G-LR4 module connected to an H3C S6820 switch as an example to introduce how to read information of the connected optical module on an H3C switch.

H3C S5130-HI Switch Series

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and

How To Read Optical Module Information On H3C Switches

Reading optical module information during use helps understand its real-time operating status, allowing you to locate the cause of link abnormalities more quickly.

H3C S1600V2 Switch Series Web Configuration Guide

Navigation pane—Provides the Web menu for device functions in a tree structure. You can easily select function menus in the navigation pane. The content pane displays the selection result. You can click

H3C S3100 SERIES COMMAND MANUAL Pdf Download

Use the undo mac-address max-mac-count command to enable a switch to learn MAC address in a VLAN. By default, a switch learns MAC addresses in any

Optical Transceiver Manufacturer,H3C Switch

H3C switch configuration description: Because of the use of the port learning function, it is necessary to set the number of MAC learning of the port to 0 after

Basic CLI Commands on H3C Switch

Learn how to create users, VLANs, enable Telnet and SSH, configure Spanning Tree Protocol, enable DHCP snooping, define trunk ports, and create access ports on

H3C S5500-28F-EI-DC User Manual

Introduces the procedures to install an S5500-EI Series Ethernet Switch, including the setup of the mainframe, cards and cables. Introduces the booting process of

H3C switch open and close ports and speed limit

Enter the interface command in the system view to enter the Ethernet port view. For example, enter "interface g1/0/1" (or abbreviation) in int g1/0/1, you enter the first port of the switch

H3C S6800 SERIES SWITCH TROUBLESHOOTING MANUAL

View and Download H3C S6800 Series troubleshooting manual online. S6800 Series switch pdf manual download.

H3C S5120-SI SERIES CONFIGURATION MANUAL

The fast saving mode is suitable for environments where power supply is stable. Page 613 The application environment has changed and the device has to run in

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://tooltechnologyapplication.com.pl>

Email: info@tooltechnologyapplication.com.pl

Phone: +49 69 3527 4819

Address: Neue Mainzer Straße 66, 60311 Frankfurt, Germany

This document is for informational purposes only. Specifications subject to change without notice.

