

Warranty for OSFP optical module 200G



Overview

OSFP-2x200G-FR4-O is equivalent to the Cisco original transceiver. Data rate 400G 3 year warranty. Life-time Warranty;30-Day Money-back Guarantee. Amphenol's 200G/lane optical modules support DR4, FR4, 2xDR4, 2xFR4, AOC, and breakout AOC configurations with LC or MPO ports, ideal for 800G/1. Fully compliant with OSFP MSA, IEEE 802. 3, and OIF-CMIS standards, and RoHS compliant per EU directives 2011/65 and 2015/863. Register here and gain full portal access to pricing, stock status and quick ordering. Call us for immediate actions: +46 8-120 477 50 | sales@prooptix. Trusted by 260K+ Enterprise Users. 6T-FR8 OSFP224 Optical Transceiver Module, utilizing silicon photonics and EML, features 8 channels of 200G-PAM4 for parallel electrical and optical transmission. It supports up to 2km reach over single-mode fiber, operates within a 0°C-70°C case temperature range, and complies with IEEE.



Article Content

Cisco Compatible Coherent VCSEL & Broadcom DSP

Cisco Compatible Coherent VCSEL & Broadcom DSP 400GBASE-SR4 OSFP PAM4 850nm 100m MTP/MPO-12 APC MMF Optical Transceiver Module NADDOD

InfiniBand 400G/200G HDR | InfiniBand Optical Transceivers and

FS InfiniBand 400G/200G HDR optical modules and cables solution used for high-bandwidth data transmission, data center and AI computing applications. Click to get your 400G/200G HDR optical

200G Optical Transceiver: QSFP-DD vs OSFP for Data

A 200G optical transceiver is a pluggable device designed to transmit and receive 200 Gigabits per second over either fiber or copper links. These transceivers

NVIDIA/Mellanox MMA4Z00-NS 800G OSFP

NVIDIA MMA4Z00-NS (980-9I510-00NS00) compatible OSFP 800G 2xSR4 MMF module with Broadcom DSP & Broadcom VCSEL ensures stable 800G InfiniBand

Welcome to OSFPmsa

The OSFP MSA does not endorse or warrant any products, services, or companies listed on this website. All information is provided "as is" without warranty of any kind, express or implied, including

Generic Compatible 400GBASE-SR8 QSFP-DD

Arista QSFP-200G-SR4 Compatible 200GBASE-SR4 QSFP56 4x50G PAM4 850nm 100m MMF DOM MPO-12/UPC Optical Transceiver Module Arista Compatible

NVIDIA Optical Modules: QSFP-DD/OSFP 800G Solutions,

Explore NVIDIA's 800G optical modules with QSFP-DD and OSFP form factors. Learn about performance specifications, compatibility features, and application scenarios for AI clusters

OFC 2025: Eoptolink launches 1.6T OSFP 2VR4 transceivers

Vertical Cavity Surface Emitting Lasers (VCSELs) operating at 850nm are the dominant optical laser technology for less than 100m transmission distance of short reach connectivity. At OFC

Warranty QSFP optical module 800G online manufacture

Good quality warranty qsfp optical module 800g from warranty qsfp optical module 800g manufacturer, Buy warranty qsfp optical module 800g online from China.

64-Port 800G OSFP 51.2T Ethernet 2U Switch for AI

N9520-640C is a low latency 800G RoCE 2U switch with 64x800G OSFP ports, NDD OS, and Broadcom Tomahawk 5, delivering 51.2Tbps performance for AI

Arista OSFP-200G-2LR4-Arista | 200G OSFP Transceiver, Dual LC,

Description The Arista OSFP-200G-2LR4 is a 200G OSFP optical transceiver designed for long-reach data center and enterprise network connectivity. It features 2x 100GBASE-LR4 interfaces with dual

TE CONNECTIVITY OPTICS SOLUTION GUIDE

Designed for hyperscale data centers, AI/ML, High Performance Computing, and telecom applications. Our transceivers (200G, 400G, 800G and 1.6T) deliver reliable performance, flexibility, and scalability.

1.6T OSFP Transceivers | Optical Transceivers | Amphenol

Amphenol's 200G/lane optical modules support DR4, FR4, 2xDR4, 2xFR4, AOC, and breakout AOC configurations with LC or MPO ports, ideal for

QSFP-DD vs OSFP: What Are the Differences?

QSFP-DD vs OSFP: Thermal Capacity and Power Consumption The QSFP-DD is smaller in size, so its thermal capacity is only 7 to 12 watts. While the OSFP is

1.6T OSFP 2xDR4/DR8, 1310nm, 500m, DDM, CDR,

The MJ-OSFP1.6TB-DR8 is a cost-effective, high-performance OSFP module tailored for AI datacenter applications, delivering an aggregate throughput of 1.6

OSFP-2x200G-FR4-O Cisco OSFP Fiber Optical Transceivers from

OSFP-2x200G-FR4-O is equivalent to the Cisco original transceiver. Data rate 400G 3 year warranty.

1.6T-FR8 - 1.6T OSFP224 2km Transceiver

The STC-1.6T-FR8 OSFP224 Optical Transceiver Module, utilizing silicon photonics and EML, features 8 channels of 200G-PAM4 for parallel electrical and optical transmission.

200G QSFP56 Transceiver Modules | HEYOPTICS

Provide Finisar / Mellanox 200g QSFP56 transceiver modules.200G QSFP56 DR4/SR4/FR4/LR4.Life-time Warranty;30-Day Money-back Guarantee.

400G Optical Modules Explained: SR4 Vs. DR4 Vs. FR4

Key differences between SR4, DR4, FR4, and LR4 400G optical modules. Expert advice from Asterfusion engineers to optimize your data center

How to Choose the Right Optical Transceiver Module

Learn how to select the ideal optical transceiver module based on speed, fiber type, compatibility, and real deployment scenarios. Includes expert recommendations and trusted Cisco

AOC-OSFP-2X200G QSFP56-15M-AT MSA Compliant AOC OSFP to

Our product meets the specification of Universally Coded MSA AOC-OSFP-2X200G QSFP56-15M-AT and we proudly offer a compatibility guarantee and limited lifetime warranty. Our rigorously tested

1.6T OSFP Transceivers | Optical Transceivers | Amphenol

HIGH-SPEED OSFP TRANSCEIVER FOR 800G/1.6T WITH 200G PER LANE Amphenol's 200G/lane optical modules support DR4, FR4, 2xDR4,

Arista OSFP-400G-2FR4-Arista | 400GBASE-2FR4 Transceiver, 2km,

The Arista OSFP-400G-2FR4 is a 400GBASE-2FR4 optical transceiver delivering 400 Gigabit Ethernet over two pairs of duplex single-mode fiber up to 2km. Utilizing 8 optical channels at 50Gb/s each

Arista 200G Transceivers and Cables

Because Arista's 200G QSFP optics are dual-rate, and capable of breakouts, each 200G optic or cable can support several different operating modes. The tables below summarize the

Arista OSFP-8X25-MR-LR | 200G OSFP Transceiver, Dual-Rate

Description The Arista OSFP-8X25-MR-LR is a dual-rate 200G OSFP optical transceiver designed for high-speed data centre interconnects. Supporting both 8x 25GBASE-LR and 8x 10GBASE-LR

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://tooltechnologyapplication.com.pl>

Email: info@tooltechnologyapplication.com.pl

Phone: +49 69 3527 4819

Address: Neue Mainzer Straße 66, 60311 Frankfurt, Germany

This document is for informational purposes only. Specifications subject to change without notice.

